



Local Worker Hiring Performance by PLA Covered Active Project as of August 30, 2015

| Total % Local Workers Key | | |
|---------------------------|-----------------------|----------------------|
| Meets or exceeds 30% goal | Meets 30% of 30% goal | Not meeting 30% goal |

| Rank | Campus | Project Name | Prime Contractor | Contract Provision | Project Number | Contract Number | Veterans | | | Local to College | | | | Local to District | | | | | | | |
|------|------------|--|-----------------------------------|--------------------|---|-----------------|------------------------------|---------------------|---------------------|-----------------------|---------------------------|-------------------------------------|-----------------------------|-------------------------------|-----------------|------------------------|----------------------------|--------------------------------------|------------------------------|-------------------------|-----------------------|
| | | | | | | | Total # of Workers on Campus | Total # of Veterans | Total % of Veterans | Local College Workers | Veterans Local to College | Local College Disadvantaged Workers | Veterans Local to College % | College Local Disadvantaged % | Project Local % | Local District Workers | Veterans Local to District | Local District Disadvantaged Workers | Veterans Local to District % | Project Disadvantaged % | Total % Local Workers |
| 1 | Pierce | Performing Arts Takeover | GMZ Engineering | LCP Tracker | 35P.5518.03.04 | 32882 | 10 | 0 | 0% | 0 | 0 | 0 | 0% | 0% | 0% | 6 | 0 | 0 | 0% | 0% | 60% |
| 2 | Pierce | Campus Wide Telecommunications Upgrade | Balfour Beatty Construction | LCP Tracker | 35P.5544.03.04 | 33861 | 23 | 0 | 0% | 5 | 0 | 0 | 0% | 22% | 11 | 0 | 1 | 0% | 4% | 48% | |
| 3 | Mission | Campus Modernization - Ph I | Masters Contracting, Inc. | Legacy | 34M.5419.03 | 32529 | 279 | 0 | 0% | 40 | 0 | 2 | 0% | 1% | 14% | 125 | 0 | 13 | 0% | 5% | 45% |
| 4 | Pierce | Stadium ADA Improvements | Gmz Engineering | LCP Tracker | 35P.5537.03 | 33864 | 206 | 0 | 0% | 8 | 0 | 0 | 0% | 0% | 4% | 86 | 0 | 2 | 0% | 1% | 42% |
| 5 | Harbor | S.A.L.L.S*** | Bernard Brothers | Legacy | 33H.5350.02.01, 33H.5350.02.02, 33H.5350.02.03, 33H.5350.02.07 | 33064 | 414 | 0 | 0% | 27 | 0 | 10 | 0% | 2% | 7% | 168 | 0 | 16 | 0% | 4% | 41% |
| 6 | Mission | Campus Modernization - Ph II | Masters Contracting, Inc. | Legacy | 34M.5420.03 | 32879 | 133 | 0 | 0% | 14 | 0 | 1 | 0% | 1% | 11% | 55 | 0 | 3 | 0% | 2% | 41% |
| 7 | Trade Tech | Construction Technology Building & East Parking Structure | Bernard Brothers | Legacy | 37T.5720.02.01 / 37T.5714.02.02 | 33148 | 313 | 0 | 0% | 29 | 0 | 6 | 0% | 2% | 9% | 119 | 0 | 14 | 0% | 4% | 38% |
| 8 | Trade Tech | Learning Assistance Center/ Library Renovation* | Suffolk Construction Inc. | Legacy | 17T.7702.03.01/37T.5702.03.01 | 33009 | 1044 | 0 | 0% | 51 | 0 | 10 | 0% | 1% | 5% | 389 | 0 | 33 | 0% | 3% | 37% |
| 9 | Mission | Media Arts Center | Kemp Brothers | Legacy | 34M.5405.02 (aka 04M.6405.02) | 32594 | 590 | 0 | 0% | 50 | 0 | 8 | 0% | 1% | 8% | 212 | 0 | 13 | 0% | 2% | 36% |
| 10 | City | Clausen Hall Mod* | Sage Associates, Inc. | Legacy | 31C.5107.03 | 33357 | 951 | 0 | 0% | 51 | 0 | 9 | 0% | 1% | 5% | 340 | 0 | 45 | 0% | 5% | 36% |
| 11 | East | Science Career and Mathematics Building | Harper Construction Company Inc. | Legacy | 32E.5222.02.03/32E.5222.02.04/ 32E.5222.02.05/32E.5222.02.06 | 33801 | 452 | 0 | 0% | 48 | 0 | 0 | 0% | 0% | 11% | 160 | 0 | 2 | 0% | 0% | 35% |
| 12 | Southwest | DB-2 Little Theater Upgrade, Cox Building Upgrade, Lecture Laboratory Building - Modernization, Campus-Wide Storm water Collection System, Fitness and Wellness Center and Northeast Quadrant Parking Structure project.** | Hensel Phelps Construction Co | Legacy | 36S.5607.03.09,36S.5607.03.10,36S.5618.03.01,36S.5663.03.02,36S.5667.03,36S.5668.02 | 33063 | 2339 | 0 | 0% | 109 | 0 | 4 | 0% | 0% | 5% | 799 | 0 | 54 | 0% | 2% | 34% |
| 13 | City | Life Sciences & Chemistry Buildings Modernization and New Construction of Health, Fitness & PE Bldg.* | Woodcliff Corporation | Legacy | 31C.5150.03/ 31C.5151.03/ 11C.7115.02 | 33149 | 831 | 0 | 0% | 35 | 0 | 5 | 0% | 1% | 4% | 285 | 0 | 33 | 0% | 4% | 34% |
| 14 | City | Student Services Center and Holmes Hall Modernization | Harper Construction Company Inc. | Legacy | 11C.7134.05/31C.5134.02/31C.5134.05C/01 C.6110.03/11C.7110.03/31C.5110.03 | 33741 | 704 | 0 | 0% | 24 | 0 | 5 | 0% | 1% | 3% | 232 | 0 | 5 | 0% | 1% | 33% |
| 15 | Trade Tech | Campus Wide Improvements Phase III* | KPRS Construction Services, Inc. | Legacy | 37T.5779.03.13 | 33376 | 414 | 0 | 0% | 19 | 0 | 2 | 0% | 0% | 5% | 136 | 0 | 8 | 0% | 2% | 33% |
| 16 | Trade Tech | Demolition of Bldgs Elm & Aloe and Removal of Swing Space Trailers** | GGG Demolition | LCP Tracker | 07T-7.2-6701.01 | 33846 | 183 | 1 | 1% | 12 | 0 | 0 | 0% | 0% | 7% | 61 | 0 | 1 | 0% | 1% | 33% |
| 17 | Southwest | School of Behavioral & Social Science (SoBSS) HVAC Upgrade | Climatec Building Technologies | LCP Tracker | 36S.5601.03.04 | 33886 | 6 | 0 | 0% | 0 | 0 | 0 | 0% | 0% | 0% | 2 | 0 | 0 | 0% | 0% | 33% |
| 18 | Valley | Athletic Training Facility (LLB) | Clark Construction | LCP Tracker | 38V.5837.02 | 33833 | 547 | 2 | 0% | 28 | 0 | 0 | 0% | 0% | 5% | 177 | 0 | 0 | 0% | 0% | 32% |
| 19 | East | Student Success and Retention Center | Pinner Construction Company, Inc. | Legacy | 32E.5234.02 | 32975 | 1423 | 0 | 0% | 174 | 0 | 6 | 0% | 0% | 12% | 411 | 0 | 16 | 0% | 1% | 29% |

| | | | | | | | | | | | | | | | | | | | | | |
|----|---------------|---|----------------------------------|-------------|--|-------|------|---|----|----|---|---|----|----|----|-----|---|----|----|----|-----|
| 20 | Valley | Monarch Center & Parking Structure | McCarthy Building Company | Legacy | 38V.5842.02/08V.684.02.02 | 33349 | 1079 | 0 | 0% | 28 | 0 | 0 | 0% | 0% | 3% | 303 | 0 | 5 | 0% | 0% | 28% |
| 21 | City | RWGPL Red Line Pedestrian Corridor (DD8) | Masters Contracting, Inc. | LCP Tracker | 11C.6173.05.03 | 33850 | 40 | 0 | 0% | 2 | 0 | 0 | 0% | 0% | 5% | 11 | 0 | 0 | 0% | 0% | 28% |
| 22 | Valley | Multi-Purpose Community Ctr | Charles Pankow Builders | Legacy | 38V.5839.02/08V.6837.02.01 | 33388 | 831 | 0 | 0% | 14 | 0 | 0 | 0% | 0% | 2% | 226 | 0 | 11 | 0% | 1% | 27% |
| 23 | Valley | Community Workforce & Omega Center | Charles Pankow Builders | Legacy | 38V.5836.02 | 33436 | 572 | 0 | 0% | 17 | 0 | 0 | 0% | 0% | 3% | 155 | 0 | 0 | 0% | 0% | 27% |
| 24 | City | Physical Plant (M&O Building) & Tennis Courts | Charles Pankow Builders | Legacy | 31C.5146.02/31C.5152.02 | 33648 | 421 | 0 | 0% | 6 | 0 | 0 | 0% | 0% | 1% | 113 | 0 | 0 | 0% | 0% | 27% |
| 25 | Mission | Campus Mod. - Ph 3 DSE0*** | Johnson Controls | Legacy | 14M.7486.05 | 32252 | 59 | 0 | 0% | 2 | 0 | 0 | 0% | 0% | 3% | 16 | 0 | 0 | 0% | 0% | 27% |
| 26 | Southwest | DB-1 Pump House Project | Harper Construction Company Inc. | Legacy | 36S.5679.02.08 | 32881 | 659 | 0 | 0% | 50 | 0 | 1 | 0% | 0% | 8% | 175 | 0 | 1 | 0% | 0% | 27% |
| 27 | East | Campus Student Center and Book Store | Edge Construction, LLC | Legacy | 32E.5231.02 | 33116 | 872 | 0 | 0% | 79 | 0 | 5 | 0% | 1% | 9% | 229 | 0 | 9 | 0% | 1% | 30% |
| 28 | District Wide | Measurement & Demand Response (M&DR) | Climatec Building Technologies | Legacy | 40I.5101.02.02, 40I.5201.02.02, 40I.5301.02.02, 40I.5401.02.02, 40I.5501.02.02, 40I.5701.02.02, 40I.5801.02.02, 40I.5901.02.02, 40I.5601.02.02 | 33803 | 26 | 0 | 0% | 0 | 0 | 0 | 0% | 0% | 0% | 4 | 0 | 0 | 0% | 0% | 15% |

| | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|--|--|--|--|--|-------|---|----|-----|---|----|----|----|----|------|---|-----|----|----|-----|
| Project Grand Total | | | | | | | 15421 | 3 | 1% | 922 | 0 | 74 | 0% | 0% | 6% | 5006 | 0 | 285 | 0% | 2% | 32% |
|---------------------|--|--|--|--|--|--|-------|---|----|-----|---|----|----|----|----|------|---|-----|----|----|-----|

| | |
|-----|---|
| * | Project in punchlist (substantial completion) |
| ** | Commissioning (substantially complete) |
| *** | Project currently on hold |



LOCAL WORKER HIRING PERFORMANCE BY SUBCONTRACTOR
District Wide - Measurement and Demand Response (M&DR)
Climatec Building Technologies
Contract # 33803

Project # 40J.5101.02.02, 40J.5201.02.02, 40J.5301..02.02,40J.5401.02.02, 40J.5501.02.02, 40J.5701.02.02, 40J.5801.02.02, 40J.5901.02.02, 40J.5601.02.02

| Project Summary | Total # of Workers | |
|------------------------|--------------------|------------|
| | 26 | |
| | Count | Percentage |
| District Local | 4 | 15% |
| District Disadvantaged | 0 | 0% |
| District Veteran | 0 | 0% |
| College Local | 0 | 0% |
| College Disadvantaged | 0 | 0% |
| College Veteran | 0 | 0% |
| Total Veterans | 0 | 0% |

| Company | Total # of Workers | # of Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % |
|---|--------------------|--------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|
| CSI Electrical Contractors | 22 | 0 | 0 | 4 | 18% | 0% | 18% | 0 | 0% | 0% | 0% |
| Industrial High Voltage | 1 | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0% | 0% | 0% |
| PPS, Inc. | 1 | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0% | 0% | 0% |
| Vinnie's Portable Plumbing | 1 | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0% | 0% | 0% |
| Westland Heating & Air Conditioning, Inc. | 1 | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0% | 0% | 0% |
| Grand Total | 26 | 0 | 0 | 4 | 0% | 0% | 15% | 0 | 0% | 0% | 0% |