

Valley College - Academic and Cultural Center
TEST CONTRACTOR 3, Pinner Construction Co., Inc.
Contract #33894

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 1,357 | |
| | Count | Percentage |
| District Local | 460 | 33.90% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 36 | 2.65% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 3 | 0.22% |
| Local to Los Angeles County | 897 | 66.10% |
| Local to Los Angeles & Orange Counties | 1,004 | 73.99% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|--|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| A & S Cement Contractor Inc | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| A D Bionki, Inc | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| ABC Resources, Inc. | 12 | 0 | 0 | 2 | 0.00% | 0.00% | 16.67% | 0 | 0.00% | 0 | 0.00% | 5 | 41.67% | 5 | 41.67% |
| ABC School Equipment, Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Ace Sandblasting Corporation | 3 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 3 | 100.00% | 3 | 100.00% |
| Action Gypsum Supply West LP | 10 | 0 | 0 | 2 | 0.00% | 0.00% | 20.00% | 0 | 0.00% | 0 | 0.00% | 8 | 80.00% | 9 | 90.00% |
| Advanced Alarm Inc. | 6 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 33.33% | 4 | 66.67% |
| ADVANCED CABLE SOLUTIONS, INC. | 23 | 0 | 2 | 10 | 0.00% | 8.70% | 43.48% | 0 | 0.00% | 0 | 0.00% | 20 | 86.96% | 21 | 91.30% |
| Air Conditioning Control Systems, Inc. | 3 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 66.67% | 3 | 100.00% |
| Alameda Construction Services, Inc. | 25 | 0 | 0 | 11 | 0.00% | 0.00% | 44.00% | 0 | 0.00% | 0 | 0.00% | 16 | 64.00% | 17 | 68.00% |
| Aragon Construction, Inc. | 42 | 0 | 0 | 11 | 0.00% | 0.00% | 26.19% | 0 | 0.00% | 0 | 0.00% | 23 | 54.76% | 27 | 64.29% |
| Avar Construction | 6 | 0 | 0 | 3 | 0.00% | 0.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 6 | 100.00% | 6 | 100.00% |
| Bragg Crane Service | 12 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 16.67% | 8 | 66.67% |
| C.E. Pickup Company, Inc. DBA: Pacific Sound Control | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| CHAMPION CRANE RENTAL INC | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 50.00% | 1 | 50.00% |
| City Commercial Plumbing, Inc. | 33 | 0 | 1 | 12 | 0.00% | 3.03% | 36.36% | 0 | 0.00% | 0 | 0.00% | 27 | 81.82% | 28 | 84.85% |
| CMZ Excavation Inc. | 4 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 50.00% | 2 | 50.00% |
| Coast Building Products | 12 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 3 | 25.00% | 3 | 25.00% |
| Commercial Scaffolding of CA, Inc. | 21 | 0 | 0 | 8 | 0.00% | 0.00% | 38.10% | 0 | 0.00% | 0 | 0.00% | 19 | 90.48% | 20 | 95.24% |
| Conco Pumping | 30 | 0 | 0 | 5 | 0.00% | 0.00% | 16.67% | 0 | 0.00% | 0 | 0.00% | 14 | 46.67% | 16 | 53.33% |
| Connor Concrete Cutting and Coring | 9 | 0 | 0 | 1 | 0.00% | 0.00% | 11.11% | 0 | 0.00% | 0 | 0.00% | 2 | 22.22% | 3 | 33.33% |
| Courtney Inc. | 67 | 0 | 0 | 32 | 0.00% | 0.00% | 47.76% | 0 | 0.00% | 0 | 0.00% | 52 | 77.61% | 56 | 83.58% |

| | | | | | | | | | | | | | | | |
|---|-----|---|---|----|-------|--------|---------|---|--------|---|-------|-----|---------|-----|---------|
| Crane Rental Service | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% |
| Culwell Abrasive Inc. | 4 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 50.00% | 2 | 50.00% |
| Dinamic Mod Construction Inc. | 4 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 50.00% |
| Diversified Window Coverings, Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Donald M. Hoover Company | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| East Bay Restaurant Supply | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| ECHO FIRE PROTECTION | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| EI Prado Cleaning Service, Inc. | 34 | 0 | 0 | 19 | 0.00% | 0.00% | 55.88% | 0 | 0.00% | 0 | 0.00% | 30 | 88.24% | 33 | 97.06% |
| Elljay Acoustics, Inc. | 12 | 0 | 0 | 1 | 0.00% | 0.00% | 8.33% | 0 | 0.00% | 0 | 0.00% | 6 | 50.00% | 6 | 50.00% |
| Fastrack Rentals, Inc. | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| Gaul & Gaul Inc dba Craftsman | 39 | 0 | 0 | 19 | 0.00% | 0.00% | 48.72% | 0 | 0.00% | 0 | 0.00% | 34 | 87.18% | 35 | 89.74% |
| GGG Demolition | 8 | 0 | 0 | 2 | 0.00% | 0.00% | 25.00% | 0 | 0.00% | 0 | 0.00% | 5 | 62.50% | 6 | 75.00% |
| Harper's Backhoe Service, Inc dba Harper Equipment Rental | 8 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 3 | 37.50% | 6 | 75.00% |
| Hayward Baker Inc. | 5 | 0 | 0 | 1 | 0.00% | 0.00% | 20.00% | 0 | 0.00% | 0 | 0.00% | 3 | 60.00% | 3 | 60.00% |
| HMT Electric, Inc. | 8 | 0 | 0 | 1 | 0.00% | 0.00% | 12.50% | 0 | 0.00% | 0 | 0.00% | 6 | 75.00% | 6 | 75.00% |
| Hur Flooring Co. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Industrial High Voltage | 6 | 0 | 0 | 1 | 0.00% | 0.00% | 16.67% | 1 | 16.67% | 0 | 0.00% | 6 | 100.00% | 6 | 100.00% |
| Ironclad General Engineering Inc | 26 | 0 | 4 | 13 | 0.00% | 15.38% | 50.00% | 0 | 0.00% | 0 | 0.00% | 18 | 69.23% | 19 | 73.08% |
| J Corporation | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| JLS Concrete Pumping | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| JNJ Tile Co., Inc. | 9 | 0 | 0 | 5 | 0.00% | 0.00% | 55.56% | 0 | 0.00% | 0 | 0.00% | 9 | 100.00% | 9 | 100.00% |
| Johnson Controls Fire Protection | 1 | 0 | 0 | 1 | 0.00% | 0.00% | 100.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| J's Pipeline Inc | 11 | 0 | 0 | 3 | 0.00% | 0.00% | 27.27% | 0 | 0.00% | 0 | 0.00% | 6 | 54.55% | 9 | 81.82% |
| K & Z Cabinet Co. Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Karcher Interior Systems Inc. | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| Kindness General Contractors, LLC | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 50.00% | 2 | 100.00% |
| Kitcor Corporation | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Los Angeles Air Balance Co. | 3 | 0 | 0 | 1 | 0.00% | 0.00% | 33.33% | 0 | 0.00% | 0 | 0.00% | 2 | 66.67% | 2 | 66.67% |
| Mad Steel Inc. | 98 | 0 | 2 | 29 | 0.00% | 2.04% | 29.59% | 1 | 1.02% | 0 | 0.00% | 56 | 57.14% | 63 | 64.29% |
| Maxim Crane Works | 21 | 0 | 0 | 1 | 0.00% | 0.00% | 4.76% | 0 | 0.00% | 0 | 0.00% | 10 | 47.62% | 15 | 71.43% |
| Maya Steel Fabrications, Inc. | 121 | 0 | 5 | 35 | 0.00% | 4.13% | 28.93% | 0 | 0.00% | 0 | 0.00% | 73 | 60.33% | 84 | 69.42% |
| McGuire Contracting, Inc. | 238 | 0 | 7 | 75 | 0.00% | 2.94% | 31.51% | 0 | 0.00% | 0 | 0.00% | 152 | 63.87% | 165 | 69.33% |
| McKendry Door Sales | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| McKenna General Engineering, Inc. | 5 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 20.00% | 2 | 40.00% |
| Mechanical Technology Systems, Inc. | 34 | 0 | 1 | 17 | 0.00% | 2.94% | 50.00% | 0 | 0.00% | 0 | 0.00% | 28 | 82.35% | 31 | 91.18% |
| Mike Zarp, Inc | 3 | 0 | 0 | 1 | 0.00% | 0.00% | 33.33% | 0 | 0.00% | 0 | 0.00% | 1 | 33.33% | 1 | 33.33% |
| MIKE ZARP, INC. | 7 | 0 | 0 | 1 | 0.00% | 0.00% | 14.29% | 0 | 0.00% | 0 | 0.00% | 2 | 28.57% | 4 | 57.14% |
| Mitsubishi Electric US, Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Neubauer Electric Inc. | 42 | 0 | 2 | 22 | 0.00% | 4.76% | 52.38% | 1 | 2.38% | 0 | 0.00% | 35 | 83.33% | 38 | 90.48% |
| Norko Enterprises Inc. | 14 | 0 | 2 | 6 | 0.00% | 14.29% | 42.86% | 0 | 0.00% | 0 | 0.00% | 11 | 78.57% | 13 | 92.86% |
| OHE Painting and Wallcovering, Inc. | 10 | 0 | 0 | 7 | 0.00% | 0.00% | 70.00% | 0 | 0.00% | 0 | 0.00% | 9 | 90.00% | 9 | 90.00% |
| Olivas Foundation Drilling, Inc. | 8 | 0 | 1 | 3 | 0.00% | 12.50% | 37.50% | 0 | 0.00% | 0 | 0.00% | 6 | 75.00% | 8 | 100.00% |

| | | | | | | | | | | | | | | | |
|--|--------------|----------|-----------|------------|--------------|--------------|---------------|----------|--------------|----------|--------------|------------|---------------|--------------|---------------|
| On Point Land Surveying Inc. | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| P & E Insulation, Inc. | 14 | 0 | 1 | 2 | 0.00% | 7.14% | 14.29% | 0 | 0.00% | 0 | 0.00% | 9 | 64.29% | 10 | 71.43% |
| Penhall Company | 1 | 0 | 0 | 1 | 0.00% | 0.00% | 100.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| Penhall Company (Ironclad General Engineering sub) | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| Pierre Landscape | 16 | 0 | 3 | 11 | 0.00% | 18.75% | 68.75% | 0 | 0.00% | 0 | 0.00% | 16 | 100.00% | 16 | 100.00% |
| Pinner Construction Co., Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Preferred Construction Specialties, Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Pro Mechanical Corp | 19 | 0 | 0 | 6 | 0.00% | 0.00% | 31.58% | 0 | 0.00% | 0 | 0.00% | 8 | 42.11% | 10 | 52.63% |
| R & J Sheet Metal, Inc. | 31 | 0 | 0 | 15 | 0.00% | 0.00% | 48.39% | 0 | 0.00% | 0 | 0.00% | 23 | 74.19% | 25 | 80.65% |
| Raffi's Metal Design | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Schmitt Drywall Contracting | 88 | 0 | 3 | 39 | 0.00% | 3.41% | 44.32% | 0 | 0.00% | 0 | 0.00% | 65 | 73.86% | 72 | 81.82% |
| SHD Installations Inc | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Sierra School Equipment Company | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Sky Climber Access Solutions California | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Smoke Guard California, Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| So Cal Sanitation, LLC | 11 | 0 | 0 | 3 | 0.00% | 0.00% | 27.27% | 0 | 0.00% | 0 | 0.00% | 6 | 54.55% | 6 | 54.55% |
| South Coast Specialty Construction | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| SR Bray LLC dba Power Plus | 6 | 0 | 0 | 3 | 0.00% | 0.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 4 | 66.67% | 5 | 83.33% |
| Star Hardware | 4 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 25.00% | 1 | 25.00% |
| T.L. Shield & Associates, Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| TEST CONTRACTOR 3 | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Texas Scenic Company, Inc. | 7 | 0 | 0 | 2 | 0.00% | 0.00% | 28.57% | 0 | 0.00% | 0 | 0.00% | 3 | 42.86% | 4 | 57.14% |
| The McIntyre Company | 8 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 25.00% | 3 | 37.50% |
| Trex Commercial Products Inc., dba SC Railing Company and Staging Concepts | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Triumph Painting | 22 | 0 | 2 | 11 | 0.00% | 9.09% | 50.00% | 0 | 0.00% | 0 | 0.00% | 17 | 77.27% | 17 | 77.27% |
| ULTRA WELDING, INC. | 3 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 66.67% | 2 | 66.67% |
| Visible Graphics | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| West Coast Firestopping, Inc. | 7 | 0 | 0 | 5 | 0.00% | 0.00% | 71.43% | 0 | 0.00% | 0 | 0.00% | 7 | 100.00% | 7 | 100.00% |
| Yamada Enterprises | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Zolnay Insulation, Inc. | 10 | 0 | 0 | 1 | 0.00% | 0.00% | 10.00% | 0 | 0.00% | 0 | 0.00% | 7 | 70.00% | 8 | 80.00% |
| Grand Total | 1,357 | 0 | 36 | 460 | 0.00% | 2.65% | 33.90% | 3 | 0.22% | 0 | 0.00% | 897 | 66.10% | 1,004 | 73.99% |

Campus: Valley College

Project: Valley College - Academic and Cultural Center

LOCAL WORKER HIRING PERFORMANCE BY SUBCONTRACTOR

Valley College - Allied Health & Science Center - Weatherization & Caulking Repairs of Existing Facade
Access Pacific, Inc.
Contract #34024

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 81 | |
| | Count | Percentage |
| District Local | 29 | 35.80% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 6 | 7.41% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 0 | 0.00% |
| Local to Los Angeles County | 56 | 69.14% |
| Local to Los Angeles & Orange Counties | 65 | 80.25% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|-----------------------|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| Access Pacific, Inc. | 13 | 0 | 3 | 9 | 0.00% | 23.08% | 69.23% | 0 | 0.00% | 0 | 0.00% | 10 | 76.92% | 12 | 92.31% |
| GMZ Engineering, Inc. | 6 | 0 | 1 | 3 | 0.00% | 16.67% | 50.00% | 0 | 0.00% | 0 | 0.00% | 5 | 83.33% | 5 | 83.33% |
| L.A. Electricom | 2 | 0 | 0 | 2 | 0.00% | 0.00% | 100.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% | 2 | 100.00% |
| RUTHERFORD CO., INC. | 45 | 0 | 2 | 12 | 0.00% | 4.44% | 26.67% | 0 | 0.00% | 0 | 0.00% | 29 | 64.44% | 33 | 73.33% |
| Victorious R.E.D | 15 | 0 | 0 | 3 | 0.00% | 0.00% | 20.00% | 0 | 0.00% | 0 | 0.00% | 10 | 66.67% | 13 | 86.67% |
| Grand Total | 81 | 0 | 6 | 29 | 0.00% | 7.41% | 35.80% | 0 | 0.00% | 0 | 0.00% | 56 | 69.14% | 65 | 80.25% |

Campus: Valley College

Project: Valley College - Allied Health & Science Center - Weatherization & Caulking Repairs of Existing Facade

LOCAL WORKER HIRING PERFORMANCE BY SUBCONTRACTOR

Valley College - Allied Health and Sciences Laboratory Wing Stucco Repair
Dorado Design and Construction, Inc.
Contract #1376-07V0

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 82 | |
| | Count | Percentage |
| District Local | 35 | 42.68% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 4 | 4.88% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 0 | 0.00% |
| Local to Los Angeles County | 65 | 79.27% |
| Local to Los Angeles & Orange Counties | 69 | 84.15% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|--------------------------------------|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| Commercial Scaffolding of CA, Inc. | 19 | 0 | 0 | 5 | 0.00% | 0.00% | 26.32% | 0 | 0.00% | 0 | 0.00% | 18 | 94.74% | 19 | 100.00% |
| Dorado Design and Construction, Inc. | 7 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 4 | 57.14% | 4 | 57.14% |
| Fast Forward Concrete Cutting, Inc | 23 | 0 | 4 | 17 | 0.00% | 17.39% | 73.91% | 0 | 0.00% | 0 | 0.00% | 23 | 100.00% | 23 | 100.00% |
| Regal Industries, Inc. | 6 | 0 | 0 | 3 | 0.00% | 0.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 4 | 66.67% | 5 | 83.33% |
| W. F. Hayward Company | 27 | 0 | 0 | 10 | 0.00% | 0.00% | 37.04% | 0 | 0.00% | 0 | 0.00% | 16 | 59.26% | 18 | 66.67% |
| Grand Total | 82 | 0 | 4 | 35 | 0.00% | 4.88% | 42.68% | 0 | 0.00% | 0 | 0.00% | 65 | 79.27% | 69 | 84.15% |

Campus: Valley College

Project: Valley College - Allied Health and Sciences Laboratory Wing Stucco Repair

Valley College - Demolition of Bungalows 1-77
The Nazerian Group
Contract #33965-13V9

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 91 | |
| | Count | Percentage |
| District Local | 39 | 42.86% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 5 | 5.49% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 0 | 0.00% |
| Local to Los Angeles County | 63 | 69.23% |
| Local to Los Angeles & Orange Counties | 76 | 83.52% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|-------------------------------------|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| Adkan Engineers | 4 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Best Contracting Services, Inc. | 4 | 0 | 0 | 2 | 0.00% | 0.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 4 | 100.00% | 4 | 100.00% |
| HSI ELECTRICAL CONTRACTORS, INC | 2 | 0 | 0 | 1 | 0.00% | 0.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% | 2 | 100.00% |
| INTERIOR DEMOLITION, INC. | 39 | 0 | 4 | 25 | 0.00% | 10.26% | 64.10% | 0 | 0.00% | 0 | 0.00% | 35 | 89.74% | 37 | 94.87% |
| Johnson Controls Fire Protection LP | 1 | 0 | 0 | 1 | 0.00% | 0.00% | 100.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| MARINA LANDSCAPE, INC. | 17 | 0 | 1 | 2 | 0.00% | 5.88% | 11.76% | 0 | 0.00% | 0 | 0.00% | 5 | 29.41% | 14 | 82.35% |
| The Nazerian Group | 13 | 0 | 0 | 7 | 0.00% | 0.00% | 53.85% | 0 | 0.00% | 0 | 0.00% | 10 | 76.92% | 10 | 76.92% |
| Wolverine Fence Company, Inc. | 11 | 0 | 0 | 1 | 0.00% | 0.00% | 9.09% | 0 | 0.00% | 0 | 0.00% | 6 | 54.55% | 8 | 72.73% |
| Grand Total | 91 | 0 | 5 | 39 | 0.00% | 5.49% | 42.86% | 0 | 0.00% | 0 | 0.00% | 63 | 69.23% | 76 | 83.52% |

Campus: Valley College

Project: Valley College - Demolition of Bungalows 1-77

Valley College - Gym Complex Phase 2
Access Pacific, Inc.
Contract #34023

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 116 | |
| | Count | Percentage |
| District Local | 64 | 55.17% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 12 | 10.34% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 0 | 0.00% |
| Local to Los Angeles County | 92 | 79.31% |
| Local to Los Angeles & Orange Counties | 96 | 82.76% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|--------------------------------------|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| Access Pacific, Inc. | 64 | 0 | 7 | 43 | 0.00% | 10.94% | 67.19% | 0 | 0.00% | 0 | 0.00% | 55 | 85.94% | 58 | 90.63% |
| Astro Fire Protection Inc | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% |
| Eagle Contracting | 7 | 0 | 0 | 1 | 0.00% | 0.00% | 14.29% | 0 | 0.00% | 0 | 0.00% | 7 | 100.00% | 7 | 100.00% |
| GS Heating and Air Conditioning Inc. | 2 | 0 | 0 | 1 | 0.00% | 0.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% | 2 | 100.00% |
| Hamilton Ceiling Systems, Inc. | 7 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 14.29% | 1 | 14.29% |
| HSI ELECTRICAL CONTRACTORS, INC | 7 | 0 | 0 | 1 | 0.00% | 0.00% | 14.29% | 0 | 0.00% | 0 | 0.00% | 4 | 57.14% | 4 | 57.14% |
| Johnson Controls Fire Protection LP | 4 | 0 | 0 | 3 | 0.00% | 0.00% | 75.00% | 0 | 0.00% | 0 | 0.00% | 3 | 75.00% | 3 | 75.00% |
| Kingsley Glass Company | 5 | 0 | 0 | 2 | 0.00% | 0.00% | 40.00% | 0 | 0.00% | 0 | 0.00% | 3 | 60.00% | 3 | 60.00% |
| L.A. Electricom | 12 | 0 | 3 | 9 | 0.00% | 25.00% | 75.00% | 0 | 0.00% | 0 | 0.00% | 11 | 91.67% | 11 | 91.67% |
| Matt-Chlor, Inc. | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Pacific Floor Company, Inc. | 4 | 0 | 1 | 3 | 0.00% | 25.00% | 75.00% | 0 | 0.00% | 0 | 0.00% | 4 | 100.00% | 4 | 100.00% |
| Phillip's Draperies | 2 | 0 | 1 | 1 | 0.00% | 50.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% | 2 | 100.00% |
| Grand Total | 116 | 0 | 12 | 64 | 0.00% | 10.34% | 55.17% | 0 | 0.00% | 0 | 0.00% | 92 | 79.31% | 96 | 82.76% |

Campus: Valley College

Project: Valley College - Gym Complex Phase 2

Valley College - New Central Plant - Energy Infrastructure Improvements
Southland Industries
Contract #33934

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 276 | |
| | Count | Percentage |
| District Local | 70 | 25.36% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 4 | 1.45% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 1 | 0.36% |
| Local to Los Angeles County | 155 | 56.16% |
| Local to Los Angeles & Orange Counties | 189 | 68.48% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|---|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| Associated Ready Mix Concrete Inc | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Barneys Hole Di | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% |
| CMZ Excavation Inc. | 8 | 0 | 0 | 2 | 0.00% | 0.00% | 25.00% | 0 | 0.00% | 0 | 0.00% | 3 | 37.50% | 5 | 62.50% |
| Connor Concrete Cutting and Coring | 9 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 11.11% | 2 | 22.22% |
| Crane Rental Service | 3 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 66.67% | 2 | 66.67% |
| Cupertino Electric Inc | 10 | 0 | 0 | 3 | 0.00% | 0.00% | 30.00% | 0 | 0.00% | 0 | 0.00% | 9 | 90.00% | 9 | 90.00% |
| Environmental Construction Group, Inc. | 23 | 0 | 0 | 12 | 0.00% | 0.00% | 52.17% | 0 | 0.00% | 0 | 0.00% | 21 | 91.30% | 23 | 100.00% |
| Excel Paving Company | 13 | 0 | 0 | 8 | 0.00% | 0.00% | 61.54% | 0 | 0.00% | 0 | 0.00% | 12 | 92.31% | 12 | 92.31% |
| Farwest Insulation Contracting | 3 | 0 | 0 | 2 | 0.00% | 0.00% | 66.67% | 0 | 0.00% | 0 | 0.00% | 2 | 66.67% | 2 | 66.67% |
| Fastrack Rentals, Inc. | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Frize Corporation | 22 | 0 | 1 | 6 | 0.00% | 4.55% | 27.27% | 0 | 0.00% | 0 | 0.00% | 17 | 77.27% | 20 | 90.91% |
| Hill Crane Service | 4 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 3 | 75.00% | 4 | 100.00% |
| Insultherm | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Just Cut It | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| KARCHER INSULATION, INC. | 18 | 0 | 1 | 3 | 0.00% | 5.56% | 16.67% | 0 | 0.00% | 0 | 0.00% | 11 | 61.11% | 14 | 77.78% |
| Koppl Pipeline Services, Inc. | 2 | 0 | 0 | 1 | 0.00% | 0.00% | 50.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% | 2 | 100.00% |
| LA Excavating, Inc. dba Alward Equipment Rental | 1 | 0 | 0 | 1 | 0.00% | 0.00% | 100.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| Largo Concrete, Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| McGuire Contracting, Inc. | 36 | 0 | 1 | 9 | 0.00% | 2.78% | 25.00% | 0 | 0.00% | 0 | 0.00% | 22 | 61.11% | 28 | 77.78% |
| Mike Zarp, Inc | 38 | 0 | 1 | 14 | 0.00% | 2.63% | 36.84% | 0 | 0.00% | 0 | 0.00% | 20 | 52.63% | 23 | 60.53% |
| N.M.N Construction, Inc. | 9 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 22.22% | 3 | 33.33% |
| National Ready Mixed Concrete Co | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |

| | | | | | | | | | | | | | | | |
|---|------------|----------|----------|-----------|--------------|--------------|---------------|----------|--------------|----------|--------------|------------|---------------|------------|---------------|
| Pacific Tank | 8 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Penn Air Control Inc. | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% | 2 | 100.00% |
| RR Leonard Co | 10 | 0 | 0 | 1 | 0.00% | 0.00% | 10.00% | 0 | 0.00% | 0 | 0.00% | 6 | 60.00% | 8 | 80.00% |
| Rutt Fence | 8 | 0 | 0 | 1 | 0.00% | 0.00% | 12.50% | 0 | 0.00% | 0 | 0.00% | 1 | 12.50% | 1 | 12.50% |
| Southland Industries | 36 | 0 | 0 | 7 | 0.00% | 0.00% | 19.44% | 1 | 2.78% | 0 | 0.00% | 16 | 44.44% | 24 | 66.67% |
| Sunbelt Controls, Inc. (sub to Circulating Air, Inc.) | 4 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 25.00% | 1 | 25.00% |
| Torrent Resources CA, Inc. | 3 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Grand Total | 276 | 0 | 4 | 70 | 0.00% | 1.45% | 25.36% | 1 | 0.36% | 0 | 0.00% | 155 | 56.16% | 189 | 68.48% |

Campus: Valley College

Project: Valley College - New Central Plant - Energy Infrastructure Improvements

LOCAL WORKER HIRING PERFORMANCE BY SUBCONTRACTOR

Valley College - Safety and Security Phase 1 Stadium Switch Gear Replacement
Masters Contracting Corp.
Contract #33960-01V0

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 28 | |
| | Count | Percentage |
| District Local | 12 | 42.86% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 1 | 3.57% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 0 | 0.00% |
| Local to Los Angeles County | 22 | 78.57% |
| Local to Los Angeles & Orange Counties | 24 | 85.71% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|---|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| CONCRETE CORING COMPANY | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% | 1 | 100.00% |
| Crown Fence Co. | 5 | 0 | 0 | 1 | 0.00% | 0.00% | 20.00% | 0 | 0.00% | 0 | 0.00% | 2 | 40.00% | 2 | 40.00% |
| D. Lewis Company | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Danny Letner Inc., dba Letner Roofing Co. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Eagle Contracting | 6 | 0 | 1 | 2 | 0.00% | 16.67% | 33.33% | 0 | 0.00% | 0 | 0.00% | 6 | 100.00% | 6 | 100.00% |
| Iceberg Heating and Air Conditioning Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| LPC Paving | 6 | 0 | 0 | 2 | 0.00% | 0.00% | 33.33% | 0 | 0.00% | 0 | 0.00% | 4 | 66.67% | 5 | 83.33% |
| Masters Contracting Corp. | 7 | 0 | 0 | 5 | 0.00% | 0.00% | 71.43% | 0 | 0.00% | 0 | 0.00% | 7 | 100.00% | 7 | 100.00% |
| NOLD'S EQUIPMENT, INC. | 1 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 100.00% |
| Pacifica Electrical Contractors Inc. | 2 | 0 | 0 | 2 | 0.00% | 0.00% | 100.00% | 0 | 0.00% | 0 | 0.00% | 2 | 100.00% | 2 | 100.00% |
| Socal Scaffold Inc. | 0 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Grand Total | 28 | 0 | 1 | 12 | 0.00% | 3.57% | 42.86% | 0 | 0.00% | 0 | 0.00% | 22 | 78.57% | 24 | 85.71% |

Campus: Valley College

Project: Valley College - Safety and Security Phase 1 Stadium Switch Gear Replacement

LOCAL WORKER HIRING PERFORMANCE BY SUBCONTRACTOR

Valley College - Transportation and Accessibility Improvements
Access Pacific, Inc.
Contract #34022

| Project Summary | Total # of Workers | |
|--|--------------------|------------|
| | 152 | |
| | Count | Percentage |
| District Local | 87 | 57.24% |
| District Disadvantaged | 0 | 0.00% |
| District Veteran | 0 | 0.00% |
| College Local | 9 | 5.92% |
| College Disadvantaged | 0 | 0.00% |
| College Veteran | 0 | 0.00% |
| Total Veterans | 0 | 0.00% |
| Local to Los Angeles County | 118 | 77.63% |
| Local to Los Angeles & Orange Counties | 128 | 84.21% |

| Company | Total # of Workers | # of District Disadvantaged | # of College Local Workers | # of District Local Workers | District Disadvantaged % | College Local % | District Local % | Total # of Veterans | Veteran % of Total Workers | # of District Local Veterans | District Local Veterans % | Total # of Workers – Local to LA County | LA County Local % | Total # of Workers – Local to LA County + OC | LA County + OC Local % |
|---------------------------------|--------------------|-----------------------------|----------------------------|-----------------------------|--------------------------|-----------------|------------------|---------------------|----------------------------|------------------------------|---------------------------|---|-------------------|--|------------------------|
| Access Pacific, Inc. | 120 | 0 | 8 | 70 | 0.00% | 6.67% | 58.33% | 0 | 0.00% | 0 | 0.00% | 96 | 80.00% | 104 | 86.67% |
| CalPortland Company | 16 | 0 | 1 | 11 | 0.00% | 6.25% | 68.75% | 0 | 0.00% | 0 | 0.00% | 13 | 81.25% | 13 | 81.25% |
| HSI ELECTRICAL CONTRACTORS, INC | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 50.00% | 1 | 50.00% |
| L.A. Electricom | 3 | 0 | 0 | 3 | 0.00% | 0.00% | 100.00% | 0 | 0.00% | 0 | 0.00% | 3 | 100.00% | 3 | 100.00% |
| Matt-Chlor, Inc. | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 1 | 50.00% | 1 | 50.00% |
| Merli Concrete Pumping | 7 | 0 | 0 | 3 | 0.00% | 0.00% | 42.86% | 0 | 0.00% | 0 | 0.00% | 4 | 57.14% | 6 | 85.71% |
| On Point Land Surveying, Inc | 2 | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% | 0 | 0.00% |
| Grand Total | 152 | 0 | 9 | 87 | 0.00% | 5.92% | 57.24% | 0 | 0.00% | 0 | 0.00% | 118 | 77.63% | 128 | 84.21% |

Campus: Valley College

Project: Valley College - Transportation and Accessibility Improvements